

## PRODUCT BROCHURE



*Seamless* Experience, *Smart* Spaces



CENTURY PANELS LIMITED  
A 100% Subsidiary of Century Plyboards (I) Ltd.  
Century House  
P15/1, Taratala Road  
Kolkata 700088  
☎ 033-3940 3950  
✉ cubicles@centuryply.com

## ▶ ABOUT CENTURYPLY

Century Ply, a pioneer in innovation, embodies a commitment to crafting contemporary lifestyle statements synonymous with modern living. Since its establishment in 1986, Century Plyboards (India) Ltd. has become the largest seller of multi-use plywood and decorative veneers in the Indian market. As trailblazers in Plywood, Decorative Veneers, Interior and exterior grade Laminates, we offer a diverse range that caters to the competitive lifestyle segment. Providing users with unparalleled freedom of choice, we continually innovate to meet the demands of informed buyers.

Architects and interior designers prefer Century Ply for transforming structures into expressions of individuality. Our product range, from flexible plywood to Fire Retardant options, addresses diverse construction needs. Celebrating 38 years, Century Ply is the market leader, guided by a philosophy of delivering value and continuous enhancement.

As India's leading building solutions brand, we champion perseverance, willpower, and determination. Collaborating with movies that showcase the human spirit and noble causes, we communicate our identity through the moving arts.

▶ **CONTENTS** Features **3** | Technical Data Sheet **4** | Brillo-BU **5** | Nox-BU **9** | Cielo **13** | Aquilon **17** | Skadi **21** | Auralite **25** | Aventia **29** | Cedro **33** | Solara **37** | Urinal Partitions **41** | Changing Rooms **45** | Our Branch Offices **46**



## ▶ FEATURES



### ABRASION RESISTANCE

Experience timeless sophistication in Century's new restroom cubicles, showcasing durable materials that gracefully withstand everyday wear and tear, ensuring enduring elegance.



### ANTI-BACTERIAL

Elevate hygiene effortlessly with Century's Cubicles. With anti-bacterial properties in the panels, they inhibit harmful bacteria growth for a pristine experience and hygiene.



### SCRATCH RESISTANCE

CenturyCubicles bring aesthetic charm with scratch-resistant lamination, ensuring a timeless appeal while protecting against surface damage with ease and elegance.



### DURABILITY

Crafted for superior performance, Century's Cubicles are designed for long-lasting durability and reliability in busy restroom settings.



### EASY MAINTENANCE

Easy to clean and maintain, Century's Cubicles feature application and fixation system that allow swift and efficient sanitation practices for cleaning staffs.



### IMPACT RESISTANCE

Resistant to impacts, CenturyCubicles are thoughtfully designed to last really long by minimising the risk of damage.



### WATER, HUMIDITY, AND HIGH TEMPERATURE RESISTANCE

Designed for superior performance in diverse environments, Century's Cubicles are resistant to water, humidity, and extreme temperatures.



### FIRE RETARDANT LAMINATION

Century Cubicle panels have the property to reduce the fire spread intensity and also a robust resistance against the cigarette burns.

## ▶ TECHNICAL DATA SHEET

Sl.No	Properties	As per EN 438-part 4	Century Typical Values	
1	Thickness (mm)	12± 0.6 /18± 0.7	12.2	18.3
2	Flatness (mm/m), max	3,0	1.5	1.5
3	Length (mm)	3660+10mm/-0mm	3662	3662
4	Width (mm)	1830+10mm/-0mm	1832	1832
5	Edge Straightness(mm)	1.5mm/m (Max)	0.8	0.9
6	Edge Squareness (mm)	1.5mm/m (Max)	0.9	0.9
7	Flexural Modulus ( Min. ) Mpa	9000	11152	11500
8	Flexural Strength ( Min. ) Mpa	80	125	130
9	Resistance to impact by large diameter ball a) Drop height, mm (Min.) b) Indentation Dia., mm. (Max.)	1800.00 mm. 10.00 mm	2000.00 mm ≤ 10.00 mm	2000.00 mm ≤ 10.00 mm
10	Dimensional stability at elevated temperature. T ≥12mm a) Longitudinal , % Max. b) Transverse, % Max.	0.3 0.6	0.10 0.12	0.10 0.15
11	Resistance to surface wear a) Initial point (Rev. Min.)	150	300	300
12	Resistance to scratching a) Smooth finishes (Grade, Min.) b) Textured finishes (Grade, Min.)	2 3	3 4	3 4
13	Resistance to dry heat (180°C) a) Gloss finish (Grade, Min.) b) Other finishes(Grade, Min.)	3 4	4 5	4 5
14	Resistance to immersion in boiling water(T ≥12mm) a) Mass Increase %max b) Thickness increase % max c) Appearance - Texture finishes (Grade, Min.)	2 2 3	0.6 0.45 4	0.5 0.45 4
15	Resistance to staining Groups 1 & 2 min.(Grade, Min.) Groups 3 min.(Grade, Min.)	5 4	5 5	5 5
16	Resistance to steam / water vapor Texture finishes (Grade, Min.)	4	5	5
17	Resistance to cigarette burns (Grade, Min.)	3	4	4
18	Resistance to crazing (Grade, Min.)	4	5	5
19	Light fastness (xenon arc) Grey scale rating	4 – 5	5	5
20	Density g / cm3 ( Min. )	1.35	1.45	1.45




3206, Olive Yellow

108, Off White

# BRILLO-BU

## ▶ Brillo-BU



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	2100	100	400

## ▶ Accessories & Hardware

- Box up construction for a premium aesthetic appeal
- Absence of the top rail to lend a sleek and modern and edgy appearance
- Self - sustained structure
- Quality SS accessories for achieving a superior look and performance.
- Crafted with quality SS long channel to ensure an enhanced durability
- Suitable for wet and dry environments



THUMB TURN



OCCUPANCY INDICATOR




DOOR KNOB



SPRING HINGES



COAT HOOK



F CHANNEL



U CHANNEL



SHOEBOX SIDE COVER



FLOOR ANCHOR




SHOEBOX FRONT COVER



# NOX-BU

## ▶ Nox-BU



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	2100	100	400

## ▶ Accessories & Hardware

- Box up construction for a premium aesthetic appeal
- Box Top rail construction which enhances the overall stability and grip
- Self-sustained structure
- Quality SS accessories for achieving a superior look and performance.
- Crafted with quality SS long channel to ensure an enhanced durability
- Suitable for wet and dry environments



THUMB TURN



OCCUPANCY INDICATOR



DOOR KNOB



SPRING HINGES



COAT HOOK



F CHANNEL



U CHANNEL



SHOEBOX SIDE COVER



FLOOR ANCHOR



SHOEBOX FRONT COVER




TOP RAIL



# CIELO


## ► Cielo



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	2030 - 2100	100 - 150	400

## ► Accessories & Hardware

- Stainless steel legs which offer enhanced cleaning accessibility
- Tubular top rail construction to combine style and durability seamlessly
- Self-sustained structure
- Quality SS accessories for achieving a superior look and performance.
- Crafted with quality SS long channel to ensure an enhanced durability
- Suitable for wet and dry environments






3835, Lapis Azual

171, Light Brown

# AQUILON



## Aquilon



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	2000 - 2100	100 - 150	400

## Accessories & Hardware

- Stainless steel legs offer enhanced cleaning accessibility
- Powder-coated aluminum top rail and long channel construction which fuses affordability with lasting durability.
- Self-sustained structure
- Quality SS accessories for achieving a superior look and performance.
- Suitable for wet and dry environments






226, Warm Grey

267, Purple

SKADI


## ► Skadi



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	1980 - 2100	100 - 150	400

## ► Accessories & Hardware

- Stainless steel legs offer enhanced cleaning accessibility
- SS top rail construction which fuses aesthetics with lasting durability.
- Self-sustained structure
- Quality SS accessories for achieving a superior look and performance.
- Crafted with SS long channel to ensure an enhanced durability
- Suitable for wet and dry environments






221, Light Grey

3233, Concrete Grey

# AURALLITE


## ► Auralite



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1300	600	900	1500	2000 - 2100	100 - 150	400

## ► Accessories & Hardware

- High-quality gloss-finished Nylon accessories, offering a splendid aesthetic at an irresistible price point
- Powder-coated aluminum top rail and long channel construction which fuses affordability with lasting durability.
- Self-sustained structure
- Suitable for wet and dry environments






3549, Bruna Larch

AVENTTIA

## ▶ Aventia



FRONT VIEW

Door Thickness 12 mm

Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
000	000	600	900	000	1980-2100	150	000

## ▶ Accessories & Hardware

- High-quality gloss-finished Nylon accessories, offering a splendid aesthetic at an irresistible price point
- Powder-coated aluminum top rail and long channel construction which fuses affordability with lasting durability.
- Self-sustained structure
- Suitable for wet and dry environments



OCCUPANCY INDICATOR



LATCH




GRAVITY HINGE AND ADAPTOR



DOOR KNOB



COAT HOOK






5868, Carrara Marble

5869, Afrodita Marble

# CEDRO

## ► Cedro



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1500	600	900	1500	2400	100	400

## ► Accessories & Hardware


- High-quality gloss-finished Nylon accessories, offering a splendid aesthetic at an irresistible price point
- Powder-coated aluminum top rail and long channel construction which fuses affordability with lasting durability.
- Self-sustained structure
- Suitable for wet and dry environments





# SOLARA

## ► Solara



Cubicles Width	Cubicles Width	Door Width	Door Width	Depth	Total height from ground	Bottom Gap	Pilaster Width
1000	1500	600	900	1500	2058-2325	150	400

## ► Accessories & Hardware



COAT HOOK



DOOR KNOB



THUMB TURN



OCCUPANCY INDICATOR



SPRING LOADED BUTT HINGE



Stainless Steel

H TYPE TOP RAIL



Stainless Steel

U CHANNEL



Stainless Steel

WALL BRACKET



Powder Coated Aluminium

DOOR STOPPER




# URINAL PARTITIONS


# Urinal Partitions

Introducing CenturyCubicle Urinal Partitions. Crafted from premium quality High-Pressure Laminates, these partitions guarantee exceptional durability, as well as resistance to water and vandalism. Elevate your commercial spaces with a sophisticated design that combines functionality with contemporary aesthetics.


## STANDARD MODELS




■ TYPE - 1 ■




■ TYPE - 2 ■



■ TYPE - 5 ■



■ TYPE - 3 ■



■ TYPE - 4 ■



SS Right angle clamp

The shapes and dimensions of the models illustrated here represent standard specifications. They can be customized as per the specific requirements.



## CHANGING ROOMS

Upgrade your facilities with our premium HPL Changing Room Partitions, expertly designed for high-traffic environments such as schools, gyms, swimming pools, shopping malls, and other public spaces. Combining modern aesthetics with exceptional functionality, these partitions boast vandalism-proof construction to resist deliberate damage, high-performance moisture and impact resistance for enhanced durability, and low-maintenance, hygienic surfaces that inhibit bacteria growth. Available in a range of contemporary colours, CenturyCubicle offers a sleek solution that enhances privacy, safety, and the overall appearance of any changing room.

## OUR BRANCH OFFICES

### HEAD OFFICE

**Nirbhay Kumar**

M/S Century Plyboards (India) Limited  
Century House, P-15/1, Taratala Road,  
Kolkata-700088 | Ph. (033) 3940 3950  
E. nirbhay.kumar1@centuryply.com

### EAST

**Kolkata | Guwahati  
Bhubaneswar | Patna | Ranchi**

**Debjit Bandyopadhyay**

M : 9830820121  
E : debjit.bandyopadhyay@centuryply.com

### NODAL OFFICE : KOLKATA

M/S Century Plyboards (India) Limited  
Lower Mezzanine Floor, 6 Lyons Range,  
Kolkata-700001, Ph. (033) 3940 3950

### WEST

**Mumbai | Ahmedabad | Indore**

**Sanjay Pal**

M : 9930531461  
E : sanjay.pal@centuryply.com

### NODAL OFFICE : MUMBAI

M/S Century Plyboards (India) Limited  
1501-1506, Range Heights, 15th Floor,  
Link Road, Oshiwara, Behram Baug,  
Jogeshwari-West, Mumbai-400102  
Ph. 9920801730 Fax: (022) 39403950

### PUNE & NAGPUR

**Mumbai | Ahmedabad | Indore**

**Krunal Sawkar**

M : 9657865202  
E : krunal.sawkar@centuryply.com

M/S Century Plyboards (India) Limited  
Office No. 402, Winners Court 4th Floor,  
Above ZK's Restaurant Lulla Nagar Chowk,  
Pune-411040  
Ph. (020) 26831140 Fax: (020) 24471140

### NORTH

**Delhi- NCR | Ghaziabad | Lucknow  
Ludhiana | Jaipur**

**Kuldeep Kaushik**

M : 9868009003  
E : kuldeep.kaushik@centuryply.com

M/S Century Plyboards (India) Limited  
1/15, First Floor, Opposite DDA Park, WHS  
Kirti Nagar, New Delhi - 110015  
Ph. (011) 46081444

### SOUTH

**Hyderabad | Bengaluru | Hubli  
Coimbatore | Chennai  
Kochi & Kozhikode | Vijayawada**

**Talla Anvesh**

M : 7842664247  
E : talla.anvesh@centuryply.com

### NODAL OFFICE : HYDERABAD

M/S Century Plyboards (India) Limited  
No. 405A, Minerva Commercial Complex  
Near Paradise Junction, SD Road,  
Secunderabad-500003  
Ph. (040) 39403950