



ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**<sup>®</sup>  
**CLADDING**  
EXTERIOR LAMINATES

# MODERN EXTERIOR





ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**  
**CLADDING**  
EXTERIOR LAMINATES

**CORPORATE OFFICE**

SAKET Unit No.406, 4th Floor, Rectangle One Building,  
Saket District Centre, New Delhi - 110017  
DELHI Phone : 9212899999, 011-47422222  
Email : delhi@virgoasia.com

**CORPORATE OFFICE**

CHANDIGARH Plot No:-828,Industrial Area, Phase-II,ram-darbar  
Chandigarh - 160002 Phone : 9814834682, 0172- 401111  
Email : chandigarh@virgoasia.com

**BANGALORE**

No 109/3, Pantharapalya, Near Metro Pillar No. 459  
Mysore Road, Bangalore - 560039  
KARNATAKA Phone : 9313722222, 87591 72222  
Email : bangalore@virgoasia.com

**HYDERABAD**

Plot no.15,16,17, ward no.12&13, Bolak no.P&N, Mallepally  
Village,Sitarambagh,Draupadi Gardens,Hyderabad,  
Telangana,500001  
TELANGANA Phone : 9676567222, 040-24606949  
24736049, 8759482222 Email : hyd@virgoasia.com

**CHANDIGARH**

Plot No:-828,Industrial Area, Phase-II,ram-darbar  
Chandigarh - 160002  
CHANDIGARH Phone : 9814834682, 0172- 401111  
Email : chandigarh@virgoasia.com

**CHENNAI**

No - 69, Maddox Street, Choolai ,  
Chennai - 600112  
CHENNAI Phone : 9312322222, 044-42822131  
Email : chennai@virgoasia.com

**MUNDKA**

Kanthisamy & co Building, North East Corner Building,  
Mettupalayam Road,Coimbatore,Tamil Nadu- 641043  
TAMIL NADU Phone : 9832822222  
Email : delhi@virgoasia.com

**LUDHIANA**

768/1,bharat Nagar Chowk, Near Punjabi Bhawan,  
Ludhiana, Punjab - 141001  
PUNJAB Phone : 9915045999, 0161-5065222/4640222  
Email : delhi@virgoasia.com

**MUMBAI**

Ground Floor, Laxsons House AA2, Walbhat Road,  
Cama Estate Goregaon East, Mumbai- 400063  
MAHARASHTRA Phone : 9832922222, 0222-6853222/4222/9222  
Email : delhi@virgoasia.com

**TRICHY**

A3 SIDCO INDUSTRIAL ESTATE ARIYAMANGALAM TRICHY,  
Tamil Nadu - 620010  
Phone : 9087678122, 9640847222  
Email : Trichy@virgoasia.com

**KOTA**

A-14, Small Scale Industries Area, Near KEDL Office,  
Kota - 324007 RAJSTHAN Phone : 8909592222  
Email : Kota@virgoasia.com

**SAKET**

Unit No.406, 4th Floor, Rectangle One Building,  
Saket District Centre, New Delhi - 110017  
DELHI Phone : 9212899999, 011-47422222  
Email : delhi@virgoasia.com

**AGRA**

21/20, Freeganj, Agra, Agra, Uttar Pradesh, 282004  
Phone : 9607306222, 9607306222  
Email : agralam@virgoasia.com

**COIMBATORE**

25F No.11/3/1 No-266, Kanthisamy & co Building,  
North East Corner Building, Mettupalayam Road,  
Coimbatore,Tamil Nadu- 641043 Phone : 8682913222  
Email : coimbatore@virgoasia.com

**JABALPUR**

Godown No:- 216-217, Manmohan Nagar,Sai Mandir,  
behind Shree Radha Hotel, JABALPUR- 482002  
MADHYA PRADESH Phone : 8410672222  
Email : jabalpur@virgoasia.com

**UDAIPUR**

House no .31, Tulsi Nagar, Behind Neelkanth Hospital  
Bhuwana , Udaipur - 313001 Rajasthan  
RAJASTHAN Phone : 8012172222, 0294-2423222,  
2094-417222 Email : jaipur@virgoasia.com

**KOLKATA**

Godown No:- 10 & 11, 284 Maharaja Nanda Kumar Road  
( North) Alambazar, Baranagar Jute Mill Compound,  
Kolkata-700035 Phone : 9836082222, 033-25102222  
Email : kolkata@virgoasia.com

**VIJAYAWADA**

Door No.41-4-74, Metla Bazar, Krishnalanka, Vijayawada,  
Krishna Distt. Andhra Pradesh Pin.no. 520013  
ANDHRA PRADESH Phone : 9652877222, 0866-2522276  
Email : vijaywada@virgoasia.com

**KOCHI**

44/2954 A7, Aiswarya Lane, Thammanom, Pullepady Road,  
Near IOC Petrol Pump, Thammanom, Erakulam - 682025  
ERAKULAM Phone : 9211322222, 91-9539415222  
Email : Kochi@virgoasia.com

**CALICUT**

Door No - 19/39 Puthiyapalam Mooriyad Road,  
Chalappuram Po - Kasaba Kozhikode -673002  
KERALA Phone : 7594881222, 7594883222  
Email : calicut@virgoasia.com

**INDORE**

10, Shivaji Nagar, Mittal Compound, Malwa Mill,  
indore-452003 (m.p.) Phone : 8878638222, 0731-2939555  
Email : indore@virgoasia.com

**KANPUR**

87/152-153, T-1 ACHARYA NAGAR GT ROAD KANPUR-208003  
U.P. Phone : 7380424222 Email : kanpur@virgoasia.com

**RAIPUR**

Hitesh Compound New Timber Market Fafadli,  
Raipur - 492009 Chhattisgarh  
Phone : 9589340222, 0771-4270222  
Email : raipur@virgoasia.com

**ANANTAPUR**

INDUSTRIAL PARK, PLOT NO - 23B, GOLLAPURAM,  
ANANTAPUR, Andhra Pradesh, 515211  
Phone : 9808562222, 9637485222  
Email : vllap@virgoasia.com

**JAIPUR ABCO**

Plot No. 21 & A 42, Pratap Nagar - A Vistaar, Murlipura  
Jaipur Rajasthan 302039 Phone : 8178378222  
Email : jprabco.lam@virgoasia.com

**MOHALI**

Plot no.217, Sector 82, JLPL Industrial Area,  
Mohali - 160055 Phone : 9815097222  
Email : mohali@virgoasia.com

**ZIRAKPUR**

Plot No- B-14/02848, Ground Floor, Village- Bhabat,  
SAS NAGAR, Zirakpur 140603 Phone : 9878499222  
Email : zpr.lam@virgoasia.com

**AHMEDABAD**

Shop No 2-3, Opp Ravi Enterprise,Lati Bazar Zone-2,  
Lati Bazar, Ahmedabad - 380022  
GUJARAT Phone : 7011007999, 8012492222  
Email : amd.lam@virgoasia.com

**NAGPUR**

PLOT NO:-21, Near Timber Bhawan Opp. Gayatri Krupa Apt.  
Nagpur, Lakadganj Maharashtra Pincode - 440008  
MAHARASHTRA Phone : 8759502222, 0712- 2774222/2724222  
Email : Nagpur@virgoasia.com

**PUNE**

Plot No 36, Final Plot No 251, Opp Ramoshigate Police Chowki,  
Timber Market, Bhawani Peth, Pune, Maharashtra, 411042  
MAHARASHTRA Phone : 9607325222, 020-26452555\666\888\999  
Email : Pune@virgoasia.com

**BHOPAL**

Barnala Crane, Service 143, Sector -h Industrial Area  
Govindpura, Bhopal (mp) Pin Code-462023  
MADHYA PRADESH Phone : 8878693222, 0755-4270471  
Email : Pune@virgoasia.com

**GORAKHPUR**

Ground Floor, Gayghat, Budh Bihar Part - C, Taramandal,  
Gorakhpur, Uttar Pradesh, 273016  
UTTAR PRADESH Phone : 8909312222  
Email : gorakhpur@virgoasia.com

**LUCKNOW**

Plot No:-8,9,10 & 11 Khasra No. 363 & 379 Sitapur Road  
Lucknow 226021  
UTTAR PRADESH Phone : 8400106222, 0522-4026422/4066822  
Email : lucknow@virgoasia.com

**VARANASI**

BANWARIPUR, POST - LAMHI, Varanasi, Uttar Pradesh - 221007  
UTTAR PRADESH Phone : 9808392222  
Email : varanasi@virgoasia.com

**JAIPUR ABCO**

Plot No. 21 & A 42, Pratap Nagar - A Vistaar, Murlipura  
Jaipur Rajasthan 302039 Phone : 8178378222  
Email : jprabco.lam@virgoasia.com

**JAIPUR**

274, Pratap nagar extension vedh ji ka chouraha, Road no 5,  
Murlipura Sikar road, Jaipur 302039  
RAJSTHAN Phone : 9638048222, 0141-2420122/2421122  
Email : jaipur@virgoasia.com

**BHIWADI**

SP2-184,Industrial Area Kahrani, Bhiwadi -301019 Rajasthan  
RAJSTHAN Phone : 9813362222, 9549434222  
Email : decors@virgoasia.com

**JODHPUR**

Plot No.-20, Gayatri Nagar Pal Road, Near Ice Factory, Jodhpur,  
Rajasthan - 342008 Phone : 9813362222, 9549434222  
Email : decors@virgoasia.com

**JAMMU**

Behind JK Bank, Gangyal Branch, Kunjwani, Gangyal,  
Jammu, 188010 Phone : 8825055433  
Email : jammu@virgoasia.com

**MERRUT**

Phase-1, Mohkampur, Meerut, Plot No - A-4, At Mohkampur  
Industrial Complex, Meerut, Uttar Pradesh, 250002  
Phone : 8178376222 Email : meerut.lam@virgoasia.com



ARCHITECTURE WOODEN  
COLLECTION 2024-25

REINVENTING EXTERIOR

EXTERIOR LAMINATES  
**VIRGO**  
**CLADDING**  
EXTERIOR LAMINATES

Designed & Concept by: BRANDSWITCH



SCAN THE  
QR CODE TO  
DOWNLOAD  
AN E-CATALOGUE

**VIRGO LAMINATES LIMITED**

SP2-184,Industrial Area Kahrani,  
Bhiwadi -301019 Rajasthan  
Email : decors@virgoasia.com  
Phone : 9813362222, 9549434222

**VIRGO LAMINATES LIMITED**


INDUSTRIAL PARK, PLOT NO - 23B, GOLLAPURAM,  
ANANTAPUR, Andhra Pradesh, 515211  
Email : vllap@virgoasia.com  
Phone : 9808562222, 9637485222



ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**  
**CLADDING**  
EXTERIOR LAMINATES

REINVENTING  
EXTERIOR





# MODERN

—• *Elegance*



# TECHNICAL





# VIRGO<sup>®</sup> CLADDING EXTERIOR LAMINATES


Exterior laminates is all about durability with good looks. We at Virgo have mastered this concept and are one of the leading players in laminates industry. India experiences ever changing climates and diverse weather conditions beyond normal levels. To ensure high-end, smart and long-lasting solutions to all such outer influences Virgo Cladding brings to you these wall claddings which are designed to withstand these drastic climatic conditions. These claddings not only protect the exterior but also are visually impeccable.

3000+ Employees | 30+ Years of Expertise | over 42+ Branches

469+ Distributors Channel Nodes | In access of 22000+ retail outlets across India | Production Capacity of 129+ Million sq.mtr. Laminates Annually

20000+ Architect Interior Designers | 29700+ Network fabricators & Contractor across India | 6 State of art factories





#### SMOG AND POLLUTION

Laminates those can withstands extreme smog and pollution without any affect on its exterior beauty.

#### HEAVY RAINFALL

These laminates can withstand extreme heavy showers of Indian weather.

#### CHILLY WINTERS

Extreme dropping in temperatures does not affect the look and quality of laminates.

#### INTENSE HEAT

Intense heat and Sun is also not capable to tarnish the look and quality of these laminates.

## MEET THE MULTI FUNCTIONAL VIRGO CLADDING

Virgo Cladding offers a range of application possibilities. It can adorn a myriad of external surfaces, giving a new personality to that space.



APARTMENTS



SHOPPING MALL



HOSPITALITY



OFFICE BUILDINGS  
INDUSTRY



RETAIL SHOPS



AIRPORT

#### APPLICATION PLACES

Public Facilities, Sun Protection System, Office Entry Portal, Windows, Playground Facilities, Sports Facilities, Elevation, Duct Covering, Ceilings, Balcony, Pillars, Doors, Gates, Ventilated Facades, Entrances, Fencing, Partitions, Railings, Outdoor Furniture & many more


## WHAT IS HPL HIGH PRESSURE LAMINATE?

VIRGO High Pressure Laminates are made of specially selected decorative papers and absorbent Kraft paper impregnated with Melamine and Phenolic resins.

These are then pressed and hardened under heat and high pressure.

VIRGO HPL's strong bonding makes them resistant to boiling water, stain and provides increased dimensional stability.

Surface protection through special treatment makes VIRGO CLADDING scratch resistant.



## THICKNESS & SIZES



## VIRGO CLADDING FIXING MECHANISM

### VISIBLE FIXINGS

#### RIVETED SYSTEM

Riveted system

- Min 6 mm HPL

- Recommendable for all Height elevation & Soffit/ Ceilings and all other applications

### CONCEALED FIXINGS

#### ADHESIVE SYSTEM

- Min 6 mm HPL

- Max 30' Height elevations

- Not recommendable for ceiling / soffit applications


### INSTALLATION METHOD

#### J CLIP SYSTEM

- Min 9 mm HPL
- Max 50' Height elevations
- Not recommendable for ceiling / soffit applications



#### RIVETED SYSTEM



Aluminium: Anodized or Powder Coated.  
MS: Antirust primer coated.  
SS: 304 or better.



#### Z CLIP SYSTEM

- Min 9 mm HPL
- Max 50' Height elevations
- Not recommendable for ceiling / soffit applications



#### CONCEALED SYSTEM




Aluminium: Anodized  
SS: 304 or better.  
Adhesive system G+2 Floor.  
Not recommendable for ceiling, soffit.



#### UNDERCUT SYSTEM

- Min 9 mm HPL
- Max 50' Height elevations
- Not recommendable for ceiling / soffit applications



## BENEFITS

VIRGO CLADDING recorded as 'Energy Saving System'

VIRGO CLADDING (ventilated) systems help to regulate temperatures during all weathers by reflecting the sun's heat away.

The process aids in removal of heat and moisture from rain or condensation in the cavity through continuous air ventilation, results in decreased energy consumption to retain indoor room temperature.

Also the insulation remains corrosion free due to minimal intervention with water or moisture through rain.

## THROUGH CNC DESIGN

VIRGO CLADDING perforation technique fulfills all your design needs and aspirations as it gives you the power to create for any customized form.

Choose any geometrical shape (involving straight cut), abstract patterns or perforable designs that inspires you to add a revitalizing expression to the exterior.

The possibilities to customize your exterior using perforation technique are limitless.





Anti Bacterial



Abrasion Resistant



All weather Resistant



Impact Resistant



Scratch Resistant



Heat Resistant



Light Resistant



Energy Saving System



Easy Clean



Stain Resistant



Corrosion Resistant


Virgo Cladding believes that trust is built by delivering high-quality products that adhere to the global standards of quality assurance and environmental safety. Here are some of the certifications that add to the excellence and credibility of our product offering





ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**<sup>®</sup>  
**CLADDING**  
EXTERIOR LAMINATES



8501CLD



NOVECENTO PINE

VIVACIOUS FEEL





C R E  
A T I V  
I T Y





8503 CLD

BRILLANT PEAR





DUMMY TEXT



8510 CLD


CANYON MOUNTAIN WALNUT

MAGNIFICENCE



ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**<sup>®</sup>  
**CLADDING**  
EXTERIOR LAMINATES





8511 CLD

HASTINGS SANDAL EXCL

LUXURY REDEFINED





8514 CLD

NORTH WALNUT



INSPIRING  
N G





ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**<sup>®</sup>  
**CLADDING**  
EXTERIOR LAMINATES



8515 CLD

MAHOGANY



Appeal to the creator in you and style your lifestyle  
choices to live magnificently.





ARCHITECTURE WOODEN  
COLLECTION 2024-25

**VIRGO**<sup>®</sup>  
**CLADDING**  
EXTERIOR LAMINATES



8506CLD



RUSTIC WOOD LIGHT

EXEMPLARY





The sophisticated demeanour of these sleek texture create a tremendous impact.



8505 CLD

RUSTIC WOOD DARK






ARCHITECTURE WOODEN  
COLLECTION 2024-25

# PANACHE



**VIRGO**  
CLADDING  
EXTERIOR LAMINATES



8509 CLD

ZEBRA MARBLE







8520 CLD

Cement Bark

EXEMPLARY

The sophisticated demeanour of these sleek texture create a tremendous impact.



8519 CLD

Sky Marble




# DUMMY TEXT

LOREM IPSUM LOREM IPSUM LOREM IPSUM LOREM  
IPSUM LOREM IPSUM LOREM IPSUM LOREM IPSUM



1096 CLD

DARK GREY



1101 CLD

Deep Grey





## TECHNICAL SPECIFICATIONS

SL NO.	PROPERTIES	TEST METHHOD	ATTRIBUTES OF PERFORMANCE	UNIT OF MEASUREMENT	RESULTS (AS PER EN 438-6)
<b>1 DIMENSIONAL PROPERTIES</b>					
1.1	Thickness	EN 438-2.5	Thickness tolerance	6mm	5<T<8: +- 0.4
1.2	Size	EN 438-2.6	Length and width	1220x3050 & 1220x2440mm	+10/-0
1.3	Straightness of edges	EN 438-2.7	Straightness of edges	mm/m	<1.5
1.4	Squareness	EN 438-2.8	Squareness	mm/m	≤1.5
1.5	Flatness	EN 438-2.9	Flatness (measured on full size sheet).	mm/m	2.0<T<6, 0 : 8
<b>2 PHYSICAL PROPERTIES</b>					
2.1	Flexural Modulus	EN ISO 178	Stress	Mpa	>9000
2.2	Flexural Strength	EN ISO 178	Stress	Mpa	>80
2.3	Tensile Strength	EN ISO 527-2	Stress	Mpa	>60
2.4	Density	EN ISO 1183	Density	gm/cm <sup>3</sup>	≥1.35
			Indent. Dia 10mm 2<T<6mm Drop Height	min.	≥1400
2.5	Resistance to impact with large diameter ball	EN 438-2.21	Indent. Dia 10mm T<6mm Drop Height	min.	≥1800
			Mass increase - 2<T<5mm	max. %	EGS/EDS - <5, EGS/EDS - <8
			mass increase - 2>T<5mm	max. %	EGS/EDS - <7, EGS/EDS - <10
2.6	Resistance to wet Conditions	EN 438-2.15	Appearance	Rating	≥4
2.7	Dimensional stability at elevated temperatures	EN 438-2.17	Cumulative dimesional change - 2<T<5mm	Longitudinal %	≤0,40
				Transversal %	≤0,80
			Cumulative dimesional change - 2>T<5mm	Longitudinal %	≤0,30
				Transversal %	≤0,60
<b>3</b>					
3.1	Resistance to Climatic Shock	EN 438-2.19	Thermal Shock Resistance - Appearance	Rating	≥4
3.2	Resistance to Artificial Weathering	EN 438-2.19	Contrast	Grey scale rating	≥3

Note: Please note that the catalog is provided here forthwith, for representational purposes only. It is neither a technical manual nor a legally binding document. Pictorial images of products are not in exact manner as depicted. We are not liable for any misrepresentation due to the aforementioned disclosure.


- Selected Colours also available in 1300x2800mm

### WEATHER RESISTANCE

PROPERTIES	TEST METHOD	ATTRIBUTES /PROPERTY	UNIT	Virgo Cladding	
				STANDARD VALUE	STANDARD VALUE
Light Fastness	EN 438 2-27	Contrast	Grey Scale	Min. Level 4	> Level 4
Artificial Weathering	EN 438 2-29 : 3000 h	Contrast	Grey Scale	Min. Level 3	> Level 3
		Appearance	Grey Scale	Min. Level 4	> Level 4
UV - Light Resistance	EN 438 2-28 : 1500 h	Contrast Appearance	Grey Scale Grey Scale	No requirement No requirement	No requirement No requirement
Dimensional Stability at Elevated temperature	EN 438 2-18-17	Accumulated Dimensional Change	%	L: Max 0.3 %	< 0,3 % (L)
				W: Max 0.6 %	< 0,6 % (W)
Resistance to Climate Shock	EN 438 2-9	Appearance	Rating	Min. Level 4	Min. Level 5
		Flexural Strength Index Ds	Index	Min. 0.95	0.98
		Flexural Modulus Index Dm	Index	Min. 0.95	0.97
Fire Characteristics (For FR Grade EWC + / Virgo Cladding )					
Reaction to Fire	EN 1350 1-1	Fire Retardant	Classification		B S2 d0

**Disclaimer:** This document is exclusively for the purposes of sharing general information. Not all of the features mentioned and shown in this document are suitable for all areas of application. We would like to make it abundantly clear that all customers and third parties are obligated to inform themselves thoroughly about Virgo products' sustainability and features prior to purchase. We recommend that user of this document seek out independent expert advice on adherence to local planning and use requirements, applicable laws, regulations, standards, guidelines and testing standards. Virgo Group accepts no liability in connection with the use of this document.

BLACK BEAUTY



1409 CLD

FROSTY WHITE

